

# **Diabetes Medical Management Plan (DMMP)**

This plan should be completed by the student's personal diabetes health care team, including the parents/guardian. It should be reviewed with relevant school staff and copies should be kept in a place that can be accessed easily by the school nurse, trained diabetes personnel, and other authorized personnel.

Date of Plan:	This plan is valid for the	e current schoo	ol year:
Student's Name:		_Date of Birtl	n:
Date of Diabetes Diagnosis:	type 1	type 2	Other
School:	School Phone	Number:	
Grade:	Homeroom Teacher:		
School Nurse:	Pho	one:	
CONTACT INFORMATION	N		
Mother/Guardian:			
Address:			
Telephone: Home			
Email Address:			
Father/Guardian:			
Address:			
Telephone: Home			
Email Address:			
Student's Physician/Health C			
Address:			
Telephone:			
Email Address:			
Other Emergency Contacts:			
Name:	Relationship:		
Telephone: Home	Work	Cell:	

#### Diabetes Medical Management Plan (DMMP) - Page 2

# **CHECKING BLOOD GLUCOSE**

Target range of blood glucose: 70–130 mg/dL 70–180 mg/dL
Other:
Check blood glucose level: 🔲 Before lunch 🔲 Hours after lunch
2 hours after a correction dose Mid-morning Before PE After PE
Before dismissal Other:
As needed for signs/symptoms of low or high blood glucose
As needed for signs/symptoms of illness
Preferred site of testing: Fingertip Forearm Thigh Other:
Brand/Model of blood glucose meter:
Note: The fingertip should always be used to check blood glucose level if hypoglycemia is suspected.
Student's self-care blood glucose checking skills:
Independently checks own blood glucose
May check blood glucose with supervision

Requires school nurse or trained diabetes personnel to check blood glucose

Continuous Glucose Monitor (CGM): 🔲 Yes	No No
Brand/Model:	Alarms set for: $\Box$ (low) and $\Box$ (high)

Note: Confirm CGM results with blood glucose meter check before taking action on sensor blood glucose level. If student has symptoms or signs of hypoglycemia, check fingertip blood glucose level regardless of CGM.

# HYPOGLYCEMIA TREATMENT

Student's usual symptoms of hypoglycemia (list below):

If exhibiting symptoms of hypoglycemia, OR if blood glucose level is less than \_\_\_\_\_\_mg/dL, give a quick-acting glucose product equal to \_\_\_\_\_\_ grams of carbohydrate.

Recheck blood glucose in 10–15 minutes and repeat treatment if blood glucose level is less than \_\_\_\_\_ mg/dL.

Additional treatment:

#### Diabetes Medical Management Plan (DMMP) – Page 3

#### HYPOGLYCEMIA TREATMENT (Continued)

Follow physical activity and sports orders (see page 7).

- If the student is unable to eat or drink, is unconscious or unresponsive, or is having seizure activity or convulsions (jerking movements), give:
- Glucagon: 1 mg 1/2 mg Route: SC IM
- Site for glucagon injection: 🔲 arm 🛄 thigh 🛄 Other:\_\_\_\_\_
- Call 911 (Emergency Medical Services) and the student's parents/guardian.
- Contact student's health care provider.

# HYPERGLYCEMIA TREATMENT

Student's usual symptoms of hyperglycemia (list below):

Check	Urine		Blood for ketones every _	hours when blood	l glucose levels
are above	e mg	g/dL.			

For blood glucose greater than \_\_\_\_\_mg/dL AND at least \_\_\_\_\_hours since last insulin dose, give correction dose of insulin (see orders below).

For insulin pump users: see additional information for student with insulin pump.

Give extra water and/or non-sugar-containing drinks (not fruit juices): \_\_\_\_\_ounces per hour.

Additional treatment for ketones:

Follow physical activity and sports orders (see page 7).

- Notify parents/guardian of onset of hyperglycemia.
- If the student has symptoms of a hyperglycemia emergency, including dry mouth, extreme thirst, nausea and vomiting, severe abdominal pain, heavy breathing or shortness of breath, chest pain, increasing sleepiness or lethargy, or depressed level of consciousness: Call 911 (Emergency Medical Services) and the student's parents/ guardian.
- Contact student's health care provider.

Tools

#### Diabetes Medical Management Plan (DMMP) – page 4

## **INSULIN THERAPY**

Insulin delivery device: 🔲 syringe	insulin pen	insulin pump
<ul> <li>Type of insulin therapy at school:</li> <li>Adjustable Insulin Therapy</li> <li>Fixed Insulin Therapy</li> <li>No insulin</li> </ul>		
Adjustable Insulin Therapy		
Carbohydrate Coverage/Correction	on Dose:	
Name of insulin:		
Carbohydrate Coverage:     Insulin-to-Carbohydrate Ratio:     Lunch: 1 unit of insulin per     Snack: 1 unit of insulin per	grams of carboh	5
Shack. I unit of insum per	grains of carbon	lyulate

## **Carbohydrate Dose Calculation Example**

Grams of carbohydrate in meal Insulin-to-carbohydrate ratio

= units of insulin

#### • Correction Dose:

Blood Glucose Correction Factor/Insulin Sensitivity Factor = \_\_\_\_\_ Target blood glucose = \_\_\_\_ mg/dL

#### **Correction Dose Calculation Example**

Actual Blood Glucose-Target Blood GlucoseBlood Glucose Correction Factor/Insulin Sensitivity Factor=

Correction dose scale (use instead of calculation above to determine insulin correction dose):

Blood glucose	to	mg/dL	give	units
Blood glucose	to	mg/dL	give	units
Blood glucose	to	mg/dL	give	units
Blood glucose	to	mg/dL	give	units

#### **Diabetes Medical Management Plan (DMMP) – page 5**

### INSULIN THERAPY (Continued)

When to give insu					
Lunch					
Carbohydrate	Carbohydrate coverage only				
	coverage plus correction dose when blood glucose is greater than hours since last insulin dose.				
Other:					
Snack					
No coverage f					
Carbohydrate	coverage only				
	coverage plus correction dose when blood glucose is greater than nd hours since last insulin dose.				
Other:					
_					
Correction dos					
For blood glud insulin dose.	cose greater thanmg/dL AND at least hours since last				
Other:					
Fixed Insulin There	ару				
	ару				
Name of insulin: _					
Name of insulin: Units of	insulin given pre-lunch daily				
Name of insulin: Units of Units of	insulin given pre-lunch daily insulin given pre-snack daily				
Name of insulin: Units of Units of	insulin given pre-lunch daily				
Name of insulin: Units of Units of Units of Other:	insulin given pre-lunch daily insulin given pre-snack daily				
Name of insulin: Units of Units of Units of Other:	insulin given pre-lunch daily insulin given pre-snack daily				
Name of insulin: Units of Units of Units of Other: Parental Authoriza	insulin given pre-lunch daily insulin given pre-snack daily <b>Ition to Adjust Insulin Dose:</b> Parents/guardian authorization should be obtained before administering a correction dose.				
Name of insulin: Units ofUnits ofUnits ofUnits of Other:	insulin given pre-lunch daily insulin given pre-snack daily <b>Ition to Adjust Insulin Dose:</b> Parents/guardian authorization should be obtained before administering a correction dose.				
Name of insulin: Units of Units of Other: Parental Authoriza Yes No	insulin given pre-lunch daily insulin given pre-snack daily ntion to Adjust Insulin Dose: Parents/guardian authorization should be obtained before administering a correction dose. Parents/guardian are authorized to increase or decrease correction dose scale within the following range: +/ units of insulin.				
Name of insulin: Units of Units of Units of Other: Parental Authoriza	insulin given pre-lunch daily insulin given pre-snack daily tion to Adjust Insulin Dose: Parents/guardian authorization should be obtained before administering a correction dose. Parents/guardian are authorized to increase or decrease correction dose scale within the following range: +/ units of insulin. Parents/guardian are authorized to increase or decrease insulin-to-				
Name of insulin: Units of Units of Other: Parental Authoriza Yes No	insulin given pre-lunch daily insulin given pre-snack daily tion to Adjust Insulin Dose: Parents/guardian authorization should be obtained before administering a correction dose. Parents/guardian are authorized to increase or decrease correction dose scale within the following range: +/ units of insulin. Parents/guardian are authorized to increase or decrease insulin-to- carbohydrate ratio within the following range: units				
Name of insulin: Units of Units of Other: Parental Authoriza Yes No Yes No	insulin given pre-lunch daily insulin given pre-snack daily <b>tion to Adjust Insulin Dose:</b> Parents/guardian authorization should be obtained before administering a correction dose. Parents/guardian are authorized to increase or decrease correction dose scale within the following range: +/ units of insulin. Parents/guardian are authorized to increase or decrease insulin-to- carbohydrate ratio within the following range: units per prescribed grams of carbohydrate, +/ grams of carbohydrate.				
Name of insulin: Units of Units of Other: Parental Authoriza Yes No Yes No	insulin given pre-lunch daily insulin given pre-snack daily tion to Adjust Insulin Dose: Parents/guardian authorization should be obtained before administering a correction dose. Parents/guardian are authorized to increase or decrease correction dose scale within the following range: +/ units of insulin. Parents/guardian are authorized to increase or decrease insulin-to- carbohydrate ratio within the following range: units				

#### Diabetes Medical Management Plan (DMMP) - page 6

### INSULIN THERAPY (Continued)

# Student's self-care insulin administration skills:

Yes	🔲 No	Independently calculates and gives own injections
Yes	🔲 No	May calculate/give own injections with supervision
Yes	🔲 No	Requires school nurse or trained diabetes personnel to calculate/give
		injections

# ADDITIONAL INFORMATION FOR STUDENT WITH INSULIN PUMP

Brand/Model of pump:	Type of insulin in pump:
Basal rates during school:	
Type of infusion set:	
For blood glucose greater than1	
hours after correction, consider parents/guardian.	pump failure or infusion site failure. Notify
For infusion site failure: Insert new infus	ion set and/or replace reservoir.
For suspected pump failure: suspend or repen.	emove pump and give insulin by syringe or
Physical Activity May disconnect from pump for sports activity Set a temporary basal rate Yes No Suspend pump use Yes No	
Student's self-care pump skills: Count carbohydrates	Independent?
Bolus correct amount for carbohydrates cons	umed 🔲 Yes 🔲 No
Calculate and administer correction bolus	Yes No
Calculate and set basal profiles	Yes No
Calculate and set temporary basal rate	Yes No
Change batteries	Yes No
Disconnect pump	Yes No
Reconnect pump to infusion set	Yes No
Prepare reservoir and tubing	Yes No
Insert infusion set	Yes No
Troubleshoot alarms and malfunctions	Yes No

104 www.YourDiabetesInfo.org

# **OTHER DIABETES MEDICATIONS**

blood ketones are moderate to large.

Name:	Dose:	Route:	Times given:
Name:	Dose:	Route:	Times given:

# **MEAL PLAN**

Meal/Snack	Time	Carbohydrate Content (grams)		
Breakfast		to		
Mid-morning snack		to		
		to		
Mid-afternoon snach	٢	to		
		ount:		
		e class (e.g., as part of a class party or food		
Special event/party	food permitted: 🔲 Pa	rents/guardian discretion		
	🛄 Sti	adent discretion		
Student's self-care	nutrition skills:			
Yes No 1	Independently counts ca	arbohydrates		
Yes No 1	May count carbohydrates with supervision			
	Requires school nurse/t carbohydrates	rained diabetes personnel to count		
PHYSICAL ACTIV	<b>VITY AND SPORTS</b>			
		glucose tabs and/or sugar-containing al education activities and sports.		
Student should eat [	15 grams 30 g	grams of carbohydrate other		
before every 30 minutes during after vigorous physical activity				
other				
If most recent blood		mg/dL, student can participate in rected and above mg/dL.		
Avoid physical activ	ity when blood glucose	e is greater than mg/dL or if urine/		

(Additional information for student on insulin pump is in the insulin section on page 6.)

#### Diabetes Medical Management Plan (DMMP) – page 8

# **DISASTER PLAN**

To prepare for an unplanned disaster or emergency (72 HOURS), obtain emergency supply kit from parent/guardian.

- Additional insulin orders as follows:
- Other: \_\_\_\_\_

# SIGNATURES

This Diabetes Medical Management Plan has been approved by:

Student's Physician/Health Care Provider	Date
I, (parent/guardian:)	give permission to the school nurse
or another qualified health care professional	or trained diabetes personnel of
(school:)	to perform and carry out the diabetes care
tasks as outlined in (student:)	's Diabetes Medical Management

Plan. I also consent to the release of the information contained in this Diabetes Medical Management Plan to all school staff members and other adults who have responsibility for my child and who may need to know this information to maintain my child's health and safety. I also give permission to the school nurse or another qualified health care professional to contact my child's physician/health care provider.

Acknowledged and received by:

Student's Parent/Guardian	Date
Student's Parent/Guardian	Date
School Nurse/Other Qualified Health Care Personnel	Date